

Revision date: 02/11/2023

```
Supersedes: 12/18/2020
```

Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Name	: Strike Pellets
Synonyms	: 37720B, EPA Reg. No.: 2724-448, Prolink Pellets Mosquito Growth Regulato, Zoecon Altosid Pellets, Zoecon Altosid Pellets WSP, Zoecon Altosid WSP, Zoecon RF-330 Altosid Mosquito Growth Regulator
.2. Recommended use and restrictions	on use
Recommended use	: Insect growth regulator.
Restrictions on use	: Avoid contact with eyes and clothing. Do not use or store near heat or open flame. Avoid breathing dust.
I.3. Supplier	
Wellmark International 1501 E. Woodfield Road, Suite 200W Schaumburg, IL 60173 - United States www.strikeproducts.com	
.4. Emergency telephone number	
Emergency number	: 1-800-248-7763 1-800-424-9300 - CHEMTREC 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
GHS US classification	
Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A	Causes eye irritation May cause cancer
Combustible Dust	May form combustible dust concentrations in air
Combustible Dust 2.2. GHS Label elements, including prec	May form combustible dust concentrations in air
Combustible Dust 2.2. GHS Label elements, including prec GHS US labeling	May form combustible dust concentrations in air
Combustible Dust C.2. GHS Label elements, including prec GHS US labeling Hazard pictograms (GHS US)	May form combustible dust concentrations in air
Combustible Dust Combustible Dust Cartering GHS Label elements, including prec	May form combustible dust concentrations in air autionary statements .
Combustible Dust 2.2. GHS Label elements, including prec GHS US labeling Hazard pictograms (GHS US)	May form combustible dust concentrations in air autionary statements : GH508
Combustible Dust 2.2. GHS Label elements, including prec GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	autionary statements : GHS08 : Danger : May form combustible dust concentrations in air Causes eye irritation

Safety Data Sheet

Conter hazards which do not result in	: Under United States Regulations (29	CFR 1910.1200 - Hazard Commu	nication Standard), this
classification	product is considered hazardous.		
2.4. Unknown acute toxicity (GHS US Not applicable	5)		
SECTION 3: Composition/Informa	tion on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
(s)-Methoprene Technical		(CAS-No.) 65733-16-6	4.25
Plaster of paris		(CAS-No.) 26499-65-0	69.16
Silica, crystalline - quartz		(CAS-No.) 14808-60-7	0.7
Activated Carbon		(CAS-No.) 7440-44-0	9.26
Non-hazardous and/or does not meet criteria fo	r classification	(CAS-No.) N/A	Balance
SECTION 4: First-aid measures			
1.1. Description of first aid measures			
First-aid measures after inhalation	: IF INHALED: Remove person to fresh	h air and keep comfortable for brea	thing. Call a POISON
First-aid measures after skin contact	CENTER or doctor/physician if you fe : IF ON SKIN: Wash with plenty of soa	eel unwell.	5
First-aid measures after eye contact	advice/attention. : IF IN EYES: Rinse cautiously with wa		
	and easy to do. Continue rinsing. If e	ye irritation persists: Get medical a	dvice and attention.
First-aid measures after ingestion	: IF SWALLOWED: Call a POISON CE Do NOT induce vomiting unless direct		
4.2. Most important symptoms and e	· · · ·		
Symptoms/effects after eye contact	: Causes mild eye irritation.		
Chronic symptoms	: May cause cancer.		
4.3. Immediate medical attention and Treat symptomatically.	i special freatment, il necessary		
• • •			
SECTION 5: Fire-fighting measure			
5.1. Suitable (and unsuitable) exting			
Suitable extinguishing media	: Dry chemical, CO2, or water spray or	r regular foam.	
Unsuitable extinguishing media	: Avoid heavy hose streams.		
5.2. Specific hazards arising from th		Fine duct disported in air infi	ont concentrations
Explosion hazard	: Dust cloud can be ignited by a spark. in the presence of an ignition source	is a potential dust explosion hazard	1.
Reactivity	activity : This material is friable and can create small dust particles during any handling, processing, an transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.		
5.3. Special protective equipment an	d precautions for fire-fighters		
Firefighting instructions	 Combustible dust - use low-pressure closed spaces before entering. Elimir area if this can be done without risk. 		
Protection during firefighting	: Do not attempt to take action without apparatus. Complete protective cloth		-contained breathing
SECTION 6: Accidental release m	easures		
6.1. Personal precautions, protective	equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Protective equipment	: Avoid contact with skin, eyes and clo	thing. Wear suitable protective equ	ipment.
Emergency procedures	: Evacuate unnecessary personnel. No Ventilate spillage area. Do not breath avoid direct contact.	o flames, no sparks. Eliminate all so	ources of ignition.

Safety Data Sheet

6.1.2.	For emergency responders		
Protec	ctive equipment	:	Do not attempt to take action without suitable protective equipment. Positive pressure self- contained breathing apparatus (SCBA). For further information refer to section 8: Exposure controls/personal protection.
Emerç	gency procedures	:	Contain spill and monitor for excessive dust accumulation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate closed spaces before entering. Turn off electric power to area. As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. Evacuate area. Stay upwind. Stop leak if safe to do so. Wear appropriate personal protective equipment, avoid direct contact.
6.2.	Environmental precautions		
Avoid re	elease to the environment.		
6.3.	Methods and material for containment	nt a	nd cleaning up
Metho	ods for cleaning up	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Non-sparking tools should be used. Sweep or scoop spills, dispose of any unusable material in approved landfill. Use appropriate PPE.
SECT	ION 7: Handling and storage		
7.1.	Precautions for safe handling		
Preca	utions for safe handling	:	Avoid contact with skin, eyes and clothing. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Ensure good ventilation of the work station. Avoid dust formation. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Provide local exhaust or general room ventilation. Wear personal protective equipment. Do not breathe dust.
Hygie	ne measures	:	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includin	g a	ny incompatibilities
Stora	ge conditions	:	Keep only in original container. Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store locked up. Store in cool, dry area, inaccessible to children and pets. Avoid excessive heat. Store at temperatures not exceeding 90°F.
Incom	patible materials	:	Heat, sparks, open flame. Strong oxidizers. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Plaster of paris (26499-65-0)				
OSHA	OSHA PEL TWA	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)		
NIOSH	NIOSH REL TWA	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)		
Silica, crystalline - quartz (14	808-60-7)			
ACGIH	ACGIH OEL TWA	0.025 mg/m ³ : (respirable particulate matter)		
OSHA	OSHA PEL TWA	50 μg/m³		
IDLH	IDLH	50 mg/m³ : (respirable dust)		
NIOSH	NIOSH REL TWA	0.05 mg/m³ : (respirable dust)		
Activated Carbon (7440-44-0				
ACGIH	ACGIH OEL TWA	10 mg/m³ Inhalable; 3 mg/m3 Respirable		
OSHA	OSHA PEL TWA	15 mg/m³ Total dust; 5 mg/m3 Respirable		

8.2.	Appropriate engineering controls		
Appr	opriate engineering controls	It is recommended that dust control equipment such as local exhaust ventilation and mate transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.	
Envir	ronmental exposure controls	: Avoid release to the environment.	
12/11	1/2023	US - en	3/7

Safety Data Sheet

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

Respiratory protection:

Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH approved respirator if exposure limits are exceeded or symptoms are experienced



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties
Physical state	: Solid
Appearance	: Dark gray to black rod-shaped pellets
Color	: Dark gray to black
Odor	: Slight hydrocarbon
Odor threshold	: No data available
рН	: Not applicable
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Non-flammable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Bulk density	: 59 to 60 lb(s)/ft3
Solubility	: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: Not applicable
Explosive properties	: Combustible dust
Oxidizing properties	: Not applicable
0.0 Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur. May form combustible dust concentrations in the air.

10.4. Conditions to avoid

Avoid dust formation. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

> 5100 mg/kg	
> 2100 mg/kg	
_	> 5100 mg/kg > 2100 mg/kg

Silica, crystalline - quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer), Listed as carcinogen on NTP (National Toxicology Program)		
IARC group 1 - Carcinogenic to humans		
National Toxicity Program (NTP) Status Known Human Carcinogens		
In OSHA Hazard Communication Carcinogen list? Yes		

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes eye irritation.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	May cause cancer.
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

Potential health effects

Inhalation	
Acute	: Under normal conditions of use, no health effects are expected.
Chronic	: Exposure to respirable crystalline silica is not expected during normal use of this product. However, prolonged overexposure to respirable crystalline silica may cause lung disease (silicosis).
Skin	
Acute	: Under normal conditions of use, no health effects are expected.
Eye	
Acute	: Causes eye irritation.
Ingestion	
Acute	: Under normal conditions of use, no health effects are expected.
Mutagenicity	: (s)-Methoprene has been tested and found negative for mutagenicity potential.
Carcinogenicity	: (s)-Methoprene is not classified as a carcinogen by NTP, IARC or OSHA. Exposure to respirable crystalline silica dust from the finished product is not expected to occur due to the manner in which the constituents are bound, thus the finished product is not considered carcinogenic under conditions of normal use.
Reproductive Effects	: (s)-Methoprene is not a reproductive toxin and does not cause birth defects.

Safety Data Sheet

SECTION 12: Ecological information

12 1	Toxicity
14.1.	TOXICITY

(s)-Methoprene Technical (65733-16-6)		
LC50 Acute fish 1	0.76 mg/l (Exposure time: 96h - Rainbow trout)	
LC50 Acute fish 2	> 0.37 mg/l (Exposure time: 96h - Blue gill)	
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 96h - Mysid shrimp)	
LC50 Acute crustacea 2	0.36 mg/l (Exposure time: 48h Daphnia)	
NOEC Chronic fish 1	0.048 mg/l (Fathead minnow)	
NOEC Chronic crustacea 1	0.014 mg/l (Mysid shrimp)	

12.2. Persistence and degradability

(s)-Methoprene Technical (65733-16-6)	
Persistence and degradability	(s)-Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

(s)-Methoprene Technical (65733-16-6)	
Mobility in soil	Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days).

12.5. Other adverse effects

No data available

SECT	ION 13: Disposal considerations	5
13.1.	Disposal methods	
Produc	ct/Packaging disposal recommendations	 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	UN3077	Packaging greater than 5 kg: Environmentally hazardous substance, solid, n.o.s ((s)-Methoprene)	9	111	Marine pollutant
ΙΑΤΑ	UN3077	Packaging greater than 5 kg: Environmentally hazardous substance, solid, n.o.s ((s)-Methoprene)	9	Ш	Chronic aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Silica, crystalline - quartz (14808-60-7)	
Listed on the United States TSCA (Toxic S	ubstances Control Act) inventory
Activated Carbon (7440-44-0)	
Listed on the United States TSCA (Toxic S	ubstances Control Act) inventory
EPA Labelling	
EPA Registration Number	2724-448
requirements under federal pesticide law. data sheets (SDS), and for workplace labe	ered by the United States Environmental Protection Agency and is subject to certain labeling These requirements differ from the classification criteria and hazard information required for safety Is of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced ther important information, including directions for use.
FIFRA Hazard statements	Caution
FIFRA Precautionary statements	KEEP OUT OF REACH OF CHILDREN.
2/11/2023	LIS - en

Safety Data Sheet

FIFRA Hazards to Humans and Domestic Animals	Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.
FIFRA First aid	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
FIFRA Environmental hazards	Do not contaminate water when disposing of rinsate or equipment washwaters.

15.2. US State regulations

No additional information available

SECTION 16: Other infor	hation	
Issue date	: 22 June 2015	
Revision date	: 11 February 2023	
Supersedes	: 18 December 2020	

Indication of changes:

Revised Sec. 1: Material number(s). Revised Sec. 14: Updated transportation description.

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.